


Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

62.13



SPECIMEN *and* LARGE NURSERY STOCK



Plant America!

MARCH, 1952

THE PETER CASCIO NURSERY

2600 ALBANY AVENUE

WEST HARTFORD, CONNECTICUT

PHONE 32-0131

THE PETER CASCIO NURSERY
2600 Albany Avenue
West Hartford 7, Conn.

SPECIMEN AND LARGE NURSERY MATERIALS

Planted prices apply to within ten mile radius of nursery.
Beyond ten mile radius truck and labor to and from job will be charged.
All material listed priced B & B. Bare root prices much less.
Write if you want quotations on smaller sizes.

Abies concolor	10-12'	\$75.00	
" "	14-15'	100.00	
Acer palmatum dissectum	3½-4'	35.00	
" pennsylvanicum	5-6"	cal.	100.00	
" "	6-7"	"	150.00	
" platanoides	5-6"	"	175.00	planted
" "	6-7"	"	200.00	planted
" "	7-8"	"	250.00	planted
" "	8-9"	"	300.00	planted
" pseudoplatanus	4-5"	"	85.00	
" "	5-6"	"	125.00	
" rubrum (same as Acer platanoides)				
" saccharum	5-6"	"	200.00	planted
" "	6-7"	"	250.00	planted
" "	7-8"	"	350.00	planted
Aesculus hippocastanum	5½-6"	"	250.00	planted
" "	8-9"	"	350.00	planted
" " carnea	5-6"	"	200.00	planted
" " "	8-9"	"	500.00	planted
" parviflora, very broad	5-6'	25.00	
Amelanchier canadensis	6-7'	10.00	
" "	7-8'	15.00	
" "	8-9'	20.00	
" "	9-10'	25.00	
Betula papyrifera Large clumps	20' 3-5 stems	100.00	each
" " Single stem	3-4"	cal.	50.00	
" " " "	4-5"	"	85.00	
" " " "	5-6"	"	125.00	
" " " "	6-7"	"	150.00	
" " " "	7-8"	"	200.00	
" " " "	8-9"	"	250.00	
" pendula gracilis	5-6"	"	150.00	
Calycanthus floridus	6-8'	10.00	
Carpinus betulus, very broad	10-15'	specimen	150.00	
Castanea mollissima,				
Bearing Chestnuts	10-12'	50.00	
Cephalanthus occidentalis	5-6'	5.00	
" "	6-7'	10.00	
Cercidiphyllum japonicum	5-6"	200.00	planted
" "	12-15"	cal	600.00	planted
Cercis canadensis	10-12'	50.00	
" " alba	10-15'	50.00	
Chamaecyparis plumosa	10-20'	specimen	75.00	to 150.00
Cladrastis lutea	1 3/4-2"	cal	20.00	10' . . 65.00
Cornus florida	1½-2"	cal. 8-10'	20.00	
" "	2-2½"	"	35.00	
" "	2½-3"	"	50.00	
Cornus florida up to	6-7"	cal.	150.00	to 500.00 planted
" kousa	8-15'	50.00	to 100.00
" mas	5-6'	5.00	
" "	9-10'	specimen	50.00	

THE PETER CASCIO NURSERY
2600 Albany Avenue
West Hartford 7, Conn.

-2-

Corylus avellena atropurpurea	8-10'	15.00
Crataegus crusgalli.	8-10'	35.00
" "	10-12'	50.00
" phaenopyrum, single stem	3-4" cal.	50.00 to 75.00
Deutzia scabra, Pride of Rochester	8' heavy.	7.50
Enkianthus campanulatus	4-5'	12.50
" "	5-6'	15.00
Exochorda grandiflora	6-8' heavy.	10.00
Fagus americana	6-8" cal.	250.00 planted
" sylvatica	6-8" "	250.00 planted
" " asplenifolia	4-5" "	175.00 planted
" " "	5-6" "	225.00 planted
" " "	6-7" "	250.00 planted
" " riversi	5-6" "	250.00 planted
" " "	6-7" "	300.00 planted
Forsythia ovata	4-5'	5.00
Gleditsia triacanthos	4-5" cal.	125.00
" "	5-6" "	150.00
" " inermis	12-15' 2" cal.	15.00
" " "	4-5" cal.	125.00
" " "	5-6" "	150.00
Halesia carolina (tetraptera)	3-4" specimen	35.00 to 75.00
Hamamelis vernalis	8-10'	10.00
" virginiana	6-8'	10.00
" " heavy specimen		25.00
Holodiscus discolor	5-6'	5.00
Ilex opaca	7-8'	50.00 to 75.00
" "	8-10'	75.00 to 100.00
" "	10-12'	100.00 to 125.00
Juniperus chinensis columnaris	8-9'	20.00
" "	9-10'	25.00
" virginiana cannarti	7-8'	15.00
" " keteleeri	7-8'	12.50
" " "	8-10'	15.00
Koelreuteria paniculata	8-10'	50.00
Kolkwitzia amabilis.	6-8'	15.00
Laburnum vulgare large specimen	bushy	50.00
Liquidambar styraciflua	5-6" cal.	200.00 planted
Magnolia nigra	6-8'	50.00
" soulangeana	14-16'	350.00 planted
" " large bushy	25' specimen	600.00 planted
" " alba.	8-10'	100.00 to 200.00 planted
" stellata	6-8'	75.00
" "	8-10'	100.00
Mahonia aquifolium	4-5' specimen	25.00
Malus hopa	3-4" cal.	50.00 to 100.00
" purpurea	3-4" "	50.00 to 100.00
Morus alba	3-4" "	35.00
Phellodendron amurense.	6-8" "	250.00 planted
Photinia villosa.	6-8'	5.00
" "	8-10'	7.50
Picea pungens glauca	15-20'	150.00
" " kosteri	8-9'	100.00
" " "	9-10'	125.00
" " "	10-12'	150.00

THE PETER CASCIO NURSERY
2600 Albany Avenue
West Hartford 7, Conn.

-3-

Pinus nigra austriaca	5-6' heavy.	35.00	
" "	6-8' "	50.00	
" resinosa	8-10' "	35.00	
" "	10-12' "	50.00	
" strobilus	8-9' "	25.00	
" "	9-10' "	35.00	
" "	10-12' "	50.00	
" "	10" cal.	500.00	planted
" "	12" "	750.00	planted
Platanus acerifolia.	6-7" "	200.00	planted
Prunus serrulata Kwanzan	3-3 $\frac{1}{2}$ " "	35.00	
" "	3 $\frac{1}{2}$ -4" "	50.00	
" "	4-4 $\frac{1}{2}$ " "	75.00	
" "	4 $\frac{1}{2}$ -5" "	100.00	
" "	Mount Fuji (same as Kwanzan)			
" subhirtella pendula	6-7" cal.	100.00	
" "	7-8" "	150.00	
Quercus alba	2-2 $\frac{1}{2}$ " "	30.00	
" "	2 $\frac{1}{2}$ -3" "	35.00	
" "	3-3 $\frac{1}{2}$ " "	50.00	
" "	3 $\frac{1}{2}$ -4" "	75.00	
" coccinea	4-4 $\frac{1}{2}$ " "	100.00	
" palustris	4-4 $\frac{1}{2}$ " "	85.00	
" "	4 $\frac{1}{2}$ -5" "	150.00	planted
" "	5-6" "	200.00	planted
" "	6-7" "	250.00	planted
" "	7-8" "	350.00	planted
" "	8-9" "	500.00	planted
" "	9-10" "	600.00	planted
" "	10-12" "	750.00	planted
" rubra	4 $\frac{1}{2}$ -5" "	150.00	planted
" "	5-6" "	200.00	planted
" roburfastigiata	5-6" "	125.00	
Sciadopitys umbellata	8'	100.00	
" "	9'	125.00	
" "	10'	150.00	
" "	11'	175.00	
" "	12'	200.00	
Syringa amurensis japonica	12-14'	75.00	
" villosa	10-12'	35.00	
" vulgaris alba	5-6'	10.00	
Syringa Hybrids				
Antoine Buchner)	5'	10.00	
Belle de Nancy)	6'	15.00	
Charles Joly)	7'	20.00	
Katherine Havemeyer)	8'	35.00	
Michael Buchner)	10'	50.00	
President Failliere)			
President Viger)			
Vauban)			
Taxus baccata repandens	7-8'	85.00	
" cuspidata	4-5'	30.00	
" "	5-6'	50.00	
" "	6-7'	65.00	
" "	7-8'	75.00	
" "	8-10'	100.00	
" "	10-12'	125.00	

THE PETER CASCIO NURSERY
2600 Albany Avenue
West Hartford 7, Conn.

-4-

Taxus cuspidata capitata	.	.	.	5-5½'	.	.	.	30.00
"	"	"	.	5½-6'	.	.	.	35.00
"	"	"	.	6-6½'	.	.	.	50.00
"	"	"	.	6½-7'	.	.	.	60.00
"	"	"	.	7-7½'	.	.	.	75.00
"	"	"	.	7½-8'	.	.	.	85.00
"	"	"	.	8-8½'	.	.	.	100.00
"	"	"	.	8½-9'	.	.	.	115.00
"	"	"	.	9-10'	.	.	.	125.00
"	"	"	.	10-12'	.	.	.	150.00
"	"	"	.	12-15'	.	.	.	200.00
"	"	"	.	15-20'	.	.	.	250.00
"	"	columnaris	.	5-6'	.	.	.	25.00
"	"	"	.	8'	.	.	.	65.00
"	"	intermedia	.	2-2½'	.	.	.	10.00
"	"	"	.	2½-3'	.	.	.	12.50
"	"	"	.	3-3½'	.	.	.	15.00
"	"	"	.	3½-4'	.	.	.	20.00
"	"	"	.	4-4½'	.	.	.	30.00
"	"	"	.	4½-5'	.	.	.	40.00
"	"	"	.	5-5½'	.	.	.	50.00
"	"	nana	.	2'	.	.	.	15.00
"	"	"	.	2½'	.	.	.	20.00
"	"	"	.	2½-3'	.	.	.	25.00
"	"	"	.	3-3½'	.	.	.	35.00
"	"	"	.	3½-4'	.	.	.	50.00
"	"	"	.	4-4½'	.	.	.	60.00
"	"	"	.	4½-5'	.	.	.	75.00
"	"	media browni	.	3½-4'	.	.	.	35.00
"	"	"	.	4-4½'	.	.	.	50.00
"	"	"	.	4½-5'	.	.	.	60.00
"	"	hatfieldi	.	2½-3'	.	.	.	15.00
"	"	"	.	3-3½'	.	.	.	18.00
"	"	"	.	3½-4'	.	.	.	20.00
"	"	"	.	4-4½'	.	.	.	25.00
"	"	"	.	4½-5'	.	.	.	35.00
"	"	"	.	5-5½'	.	.	.	50.00
"	"	"	.	5½-6'	.	.	.	60.00
"	"	"	.	6-6½'	.	.	.	70.00
"	"	"	.	6½-7'	.	.	.	80.00
"	"	hicksi	.	3-3½'	.	.	.	12.00
"	"	"	.	3½-4'	.	.	.	15.00
"	"	"	.	4-4½'	.	.	.	18.00
"	"	"	.	4½-5'	.	.	.	20.00
"	"	"	.	5-5½'	.	.	.	25.00
"	"	"	.	5½-6'	.	.	.	35.00
"	"	"	.	6-6½'	.	.	.	50.00
"	"	"	.	6½-7'	.	.	.	60.00
"	"	"	.	12'	.	.	.	200.00
Tilia cordata.	.	.	.	5"	cal	.	.	150.00 planted
"	"	.	.	5½"	"	.	.	185.00 planted
"	"	.	.	6"	"	.	.	215.00 planted
"	"	.	.	7"	"	.	.	250.00 planted
"	"	.	.	8"	"	.	.	375.00 planted
"	tomentosa	(same as Tilia cordata)						

THE PETER CASCIO NURSERY
2600 Albany Avenue
West Hartford 7, Conn.

-5-

Tsuga canadensis.	6-6 $\frac{1}{2}$ '	17.50	
"	"	.	.	.	6 $\frac{1}{2}$ -7'	20.00	
"	"	.	.	.	7-7 $\frac{1}{2}$ '	25.00	
"	"	.	.	.	7 $\frac{1}{2}$ -8'	35.00	
"	"	.	.	.	8-8 $\frac{1}{2}$ '	40.00	
"	"	.	.	.	8 $\frac{1}{2}$ -9'	45.00	
"	"	.	.	.	9-9 $\frac{1}{2}$ '	50.00	
"	"	.	.	.	9 $\frac{1}{2}$ -10'	60.00	
"	"	.	.	.	10-20'	75.00	to 200.00
"	caroliniana	.	.	.	6-7'	specimens	.	.	.	35.00	
"	"	.	.	.	7-8'	"	.	.	.	50.00	
Ulmus americana	4-5"	cal.	.	.	.	100.00	
"	"	.	.	.	5-6"	"	.	.	.	125.00	
"	"	.	.	.	6-7"	"	.	.	.	250.00	planted
"	"	.	.	.	7-8"	"	.	.	.	350.00	planted
Vaccinium corybosum	3-4'	3.50	
"	"	.	.	.	4-5'	5.00	
"	"	.	.	.	5-6'	6.50	
"	"	.	.	.	6-8'	15.00	
Viburnum americanum	6-8'	5.00	
"	"	.	.	.	8-10'	15.00	
"	cassinoides	.	.	.	5-6'	5.00	
"	dentatum	.	.	.	4-5'	2.00	
"	"	.	.	.	5-6'	5.00	
"	"	.	.	.	6-8'	15.00	
"	dilatatum	.	.	.	5-6'	10.00	
"	"	.	.	.	6-7'	12.50	
"	"	.	.	.	7-8'	15.00	
"	"	.	.	.	8-9'	20.00	
"	"	.	.	.	9-10'	25.00	
"	lentago	.	.	.	5-6'	4.00	
"	"	.	.	.	6-7'	5.00	
"	"	.	.	.	7-8'	7.50	
"	"	.	.	.	8-10'	10.00	
"	opulus	.	.	.	5-6'	5.00	
"	prunifolium (same as dilatatum)		
"	setigerum (theiferum) (same as dilatatum)		
"	sieboldi	.	.	.	5-6'	7.50	
"	"	.	.	.	6-7'	15.00	
"	"	.	.	.	7-8'	35.00	
"	tomentosum (same as V.sieboldi)		

THE PETER CASCIO NURSERY



Dear Customer:

The nursery stock recently purchased from us represents a capital investment. It is our desire that it grows, provides beauty, enjoyment and adds to the value of your property. To aid in having it accomplish the desired results we suggest reading the following cultural directions.

WATERING is our most important suggestion regarding newly set trees and plants. Because of varying weather conditions no definite schedule can be given. However, when first planted they should be watered once or twice a week for a month, and at least once a week thereafter, especially if there should be an extended dry period. Do not let light rains or heavy showers mislead you into thinking your plants have sufficient moisture. When watering give them a "good soaking". We suggest letting your hose, with nozzle off, run very slowly for fifteen minutes to an hour or more around each plant, depending on its size and dryness. Watering is a preventative not a cure. Water is inexpensive, use it regularly and generously.

CULTIVATION is especially beneficial during the first growing season. Loosening the soil around your plants permits better penetration of water from either rain or artificial application, destroys weeds which rob the soil of moisture and fertility, creates a mulch and permits air to get to the roots. Cultivate at least once a month and more if possible.

MULCHING, where practical, is quite beneficial. You can use Peat Moss, half rotted straw, old leaves, manure, grass clippings, shavings, etc. It should be applied 1" to 4" deep depending on the material, and extended far enough to cover the spread of the roots. A mulch will keep soil cool, hold moisture, smother out weeds and make penetration of water easier. This is a wonderful practice where water is limited.

SPRAYING. If there are indications of insect or fungus injury, your plants may need spraying. Call or write us for advice.

PRUNING. Very little pruning is needed the first year except for a little "shaping up".

FEEDING. One or two handfuls of a good commercial fertilizer worked into the soil around an average plant and watered in, will be beneficial. Working in well rotted manure is also excellent. Consult us about feeding large trees.

Trusting the above may be helpful in enabling you to get satisfactory results, we are

Sincerely yours,

THE PETER CASCIO NURSERY

